

Osservazione:

|     |           |    |                   |     |       |    |                        |              |
|-----|-----------|----|-------------------|-----|-------|----|------------------------|--------------|
| z   | 21        | an | 20°0'0"/20°0'0"   | Td. | 3 mm  |    | DO                     | 147 / 147 mm |
| mn  | 7 mm      | β  | 0°0'0" D/0°0'0" D | b   | 40 mm | db | 138.1348 / 138.1348 mm |              |
| NDP | 3.6286 in |    |                   | x   | .6171 | L8 |                        |              |

|             | ! = 0 | = 0 | [...] | VALORE            |  | MIN.  | MAS.  |                                  |
|-------------|-------|-----|-------|-------------------|--|-------|-------|----------------------------------|
| DIN 3961/62 |       |     |       |                   |  |       |       |                                  |
| 20 μm       |       |     |       |                   |  |       |       |                                  |
| fp          |       |     |       |                   |  |       |       |                                  |
| fu          | 9     | 4   | 0/28  | 5.2               |  | ▽ #5  | Δ #16 |                                  |
|             | 9     | 3   | 0/36  | 4.9               |  |       | * #18 |                                  |
| 20 μm       |       |     |       |                   |  |       |       |                                  |
| fp          |       |     |       |                   |  |       |       |                                  |
| fu          | 9     | 4   | 0/28  | 4.2               |  | ▽ #8  | Δ #21 |                                  |
|             | 9     | 2   | 0/36  | 2.7               |  |       | * #3  |                                  |
| 40 μm       |       |     |       |                   |  |       |       |                                  |
| Fp          |       |     |       |                   |  |       |       |                                  |
| Fpz/8       | 9     | 4   | 0/100 | 17.4              |  | ▽ #8  | Δ #1  |                                  |
|             | 9     | 4   | 0/63  | 11.4              |  | #2    | #5    |                                  |
| 40 μm       |       |     |       |                   |  |       |       |                                  |
| Fp          |       |     |       |                   |  |       |       |                                  |
| Fpz/8       | 9     | 4   | 0/100 | 18.1              |  | ▽ #3  | Δ #12 |                                  |
|             | 9     | 4   | 0/63  | 9.3               |  | #7    | #10   |                                  |
| 40 μm       |       |     |       |                   |  |       |       |                                  |
| Fp          |       |     |       |                   |  |       |       |                                  |
| Fpz/8       | 9     | 5   | 0/80  | 16.1              |  | ▽ #17 | Δ #6  |                                  |
| [...]       |       |     |       | 181.19 ... 181.25 |  |       |       | MIS. 2 SFERE                     |
| VALORE      |       |     |       | 181.2307          |  |       |       | 181.227 / 181.2352 (MIN. / MAS.) |
| DIAM. SFERA |       |     |       | 16                |  |       |       |                                  |

DIN 3961/62

Collaudatore: Ivan

02.08.2012 13:38:06

T6gear V 2.0 / ZME 632